
WE DESIGN YOUR CUSTOM MADE MODULAR BOOTH

DIFEGA: EXHIBITIONS & COMUNICATION. Mendana de Neira, 24 - 15008 A Corunna. Spain





CHARACTERISTICS:

- Fire resistant carpet placed directly on the ground and covered with protective plastic during assembly.

- General structure of anodized aluminum in its color.
- Profile in the roof for fasting and location of spotlights.
- Walls with melamine panels, they are fastened between the structure and they are 3 to 2.5 m high
- Marquee with the same profile and a board of 2 x 0.5 m for labeling.

- Lighting by halogen spotlights 300w rail at a rate of 75w / m2
- Installation of low voltage according to regulations with electric box and socket for 1000 w.
- 1 Label with standard adhesive vinyl letter on each side where have a corridor.







CHARACTERISTICS:


- Fire resistant carpet placed directly on the ground and covered with protective plastic during assembly.

- General structure of anodized aluminum in its color.
- Profile in the roof for fasting and location of spotlights.
- Walls with melamine panels, they are fastened between the structure and they are 3 to 2.5 m high
- Marquee with the same profile and a board of 2 x 0.5 m for labeling.


- Lighting by halogen spotlights 300w rail at a rate of 75w / m2
- Installation of low voltage according to regulations with electric box and socket for 1000 w.
- 1 Label with standard adhesive vinyl letter on each side where have a corridor.












CHARACTERISTICS:


- Fire resistant carpet placed directly on the ground with exterior line of blue carpet of 1 m. and covered with protective plastic during assembly.


- General structure of anodized aluminum in its color.
- Profile in the roof for fasting and location of spotlights.
- Walls with melamine panels, they are fastened between the structure and they are 3 to 2.5 m high
- Marquee with the same profile and a board of 2 x 0.5 m for labeling.


- Lighting by halogen spotlights 300w rail at a rate of 100w / m2
- Installation of low voltage according to regulations with electric box and socket for 1000 w.
- 1 Label with standard adhesive vinyl letter on each side where have a corridor.















CHARACTERISTICS:

- Fire resistant carpet placed directly on the ground and covered with protective plastic during assembly.

- General structure of anodized aluminum in its color.
- Profile in the roof for fasting and location of spotlights.
- Walls with melamine panels, they are fastened between the structure and they are 3 to 2.5 m high
- Marquee with the same profile and a board with wave shape of 2 x 0.5 m for labeling.

- Lighting by halogen spotlights 300w rail at a rate of 100w / m2
- Installation of low voltage according to regulations with electric box and socket for 1000 w.
- 1 Label with standard adhesive vinyl letter on each side where have a corridor.







WE DESIGN YOUR CUSTOM MADE BOOTH



